




N-SERIES (NARROW) SIDE EMITTING FLEXIBLE LED STRIP LIGHT

(18 LEDs/foot)

MODEL: AL-SL-S-S



Description

aspectLED's Flexible LED strip lights feature super bright side emitting SMD 335 LEDs and are a perfect solution for a wide variety of architectural and accent lighting applications including; cove lighting, under-cabinet lighting, back-lighting, pathway lighting and decorative lighting. Our N-Series Side Emitting flexible LED strip lights are made with wire leads on both ends of each 16.4' reel and can be cut every 2", allowing you to cut pieces to the exact length that you need.

[Learn more](#)



www.aspectLED.com | 888.503.1317 | sales@aspectled.com

For general information purposes only. Specifications, dimensions and construction not guaranteed and are subject to change without notice. Copyright © 2020 ASP Holdings, Inc. All rights reserved.




4900 Constellation Drive | Saint Paul, MN 55127


	WATER RESISTANT	WATERPROOF
Dimensions	5/16" (8mm) wide 1/8" (2.6mm) thick 16.4' (5M) long	7/16" (11mm) wide 3/16" (4mm) thick 16.4' (5M) long
Cut Length	12VDC: 1.969" (50mm) 24VDC: 3.937" (100mm)	12VDC: 1.969" (50mm) 24VDC: 3.937" (100mm)
Distance Between LEDs	9/16" (14mm)	9/16" (14mm)
IP Rating	IP65 Splash Resistant	IP68 Submersible
Adhesive Backing	Yes / 3M Adhesive	No
Mounting Method	Adhesive Backing	Mounting Straps or Adhesive Caulk
Input Voltage	12VDC or 24VDC	12VDC or 24VDC
Dimmable	Yes	Yes
Max Power Consumption	1.46 Watts per foot (4.8 Watts per meter)	1.46 Watts per foot (4.8 Watts per meter)
Max Luminous Flux	116 Lumens per foot (varies by LED color)	116 Lumens per foot (varies by LED color)
LED Color	Warm White, Neutral White, DayWhite (formerly Cool White), Blue, Green, Red, Yellow	Warm White, Neutral White, DayWhite (formerly Cool White), Blue, Green, Red, Yellow
Color Temperature	Warm White = 3800K Neutral White = 4900K DayWhite = 7000K	Warm White = 3800K Neutral White = 4900K DayWhite = 7000K
LED Type	SMD 335 LED Chips	SMD 335 LED Chips
LED Quantity	18 LEDs per foot (300 per reel)	18 LEDs per foot (300 per reel)
Max Run	16.4 feet @ 12VDC 32 feet @ 24VDC	16.4 feet @ 12VDC 32 feet @ 24VDC
Weight	0.6 lbs per reel	0.6 lbs per reel
Estimated Lifespan	50,000 hours	50,000 hours
Warranty	1 Year	1 Year
Suitable Uses	Dry or Damp Locations	Dry or Damp Locations
Standards/Certifications	UL Listed, RoHS	UL Listed, RoHS

Strip Light Dimensions

12VDC - WATER RESISTANT




24VDC - WATER RESISTANT




Strip Light Dimensions

12VDC - WATERPROOF



24VDC - WATERPROOF



SKU Builder

MODEL #:

AL-SL

WATERPROOFING:

SR - Water Resistant
SW - Waterproof

BRIGHTNESS:

S

S - Standard Bright

LED LIGHT COLOR:

WW - Warm White
NW - Neutral White
DW - DayWhite
R - Red
G - Green
B - Blue
Y - Yellow/Amber

VOLTAGE:

12 - 12VDC
24 - 24VDC