

250 WATT POWER SUPPLY

MODEL: AL-PS-W-250



Description

aspectLED offers a full line of constant voltage LED power supplies (drivers). A high quality constant voltage power supply/transformer results in your LED lights using less energy, shining brighter, and lasting longer. That's why aspectLED offers the highest quality LED power supplies. Our power supplies can be used with a wide variety of in-line LED dimmers. All of our power supplies are energy efficient and eco friendly.

To accommodate a wide variety of installation methods and applications, this power supply is manufactured with more than one output wire lead. These are not necessarily required for every application. If your installation only requires one of the output wire leads, please separately cap the unwanted leads using wire nuts and/or electrical tape (take care to make sure the positive and negative wires do not touch each other! This will cause an electrical short and damage your power supply). Each output lead is pulling from the same source, for example a 250 Watt supply with two leads can still only give a total of 250 Watts whether you use one or both output leads.

[Learn more](#)



RoHS
Compliant

1YR
WARRANTY


www.aspectLED.com | 888.503.1317 | sales@aspectled.com

For general information purposes only. Specifications, dimensions and construction not guaranteed and are subject to change without notice. Copyright © 2020 ASP Holdings, Inc. All rights reserved.


	12VDC	24VDC
Power Supply Dimensions	8-5/8" long 2-7/8" wide 1-3/4" tall	8-5/8" long 2-7/8" wide 1-3/4" tall
Input Voltage	100-265VAC	100-265VAC
Output Voltage	12VDC	24VDC
Output Current	20.8A @ 12VDC	10.4A @ 24VDC
Dimmable	No	No
Power Consumption	250 Watts Maximum	250 Watts Maximum
Maximum Continuous Wattage	200 Watts	200 Watts
Housing Material	Aluminum	Aluminum
Recommended Box/Enclosure (Optional)	AL-PS-BX-XL	AL-PS-BX-XL
Weight	4.8 lbs	4.8 lbs
IP Rating	IP65	IP65
Suitable Uses	Dry, Damp Locations	Dry, Damp Locations
Warranty	1 Year	1 Year
Standards / Certifications	ETL Listed, RoHS	ETL Listed, RoHS

Dimensions

12VDC



24VDC



SKU Builder

MODEL #:

AL-PS-W-250

VOLTAGE:

12VDC
24VDC